



Amden Counselling Services

PSYCHOTHERAPY · COUNSELLING · MEDIATION



OVERCOMING POST TRAUMATIC STRESS DISORDER



Post-Traumatic Stress Disorder (PTSD)

Post-Traumatic Stress Disorder (PTSD) is a complex and often debilitating condition that can occur after an individual has experienced or witnessed a traumatic event. At Amden Counselling Services, we understand the profound impact PTSD can have on a person's life, and we are dedicated to providing support and professional therapy to help individuals navigate their way through recovery.

Understanding PTSD

PTSD develops in response to exposure to a traumatic event such as vehicle or serious accidents, or personal traumatic events. For example, assaults like rape or robbery. While it is normal to feel afraid during and after a traumatic situation, this fear triggers many split-second changes in the body to defend against danger or to avoid it. This “fight-or-flight” response is a typical reaction meant to protect a person from harm. However, in PTSD, this reaction is changed, damaged or overwhelmed. People who develop PTSD may feel stressed or frightened even when they are not in danger.

Signs and Symptoms of PTSD

The symptoms of PTSD can be grouped into four main categories:

- 1. Intrusive Memories:** This may include recurrent, unwanted distressing memories of the traumatic event, flashbacks (reliving the trauma as if it were happening again), nightmares, and severe emotional distress or physical reactions to reminders of the event.
- 2. Avoidance:** Individuals may avoid talking about the event, thinking about it, or avoid places, activities, and people that remind them of the traumatic experience.
- 3. Negative Changes in Thinking and Mood:** This includes negative feelings about oneself or others, inability to experience positive emotions, feeling emotionally numb, lack of interest in activities once enjoyed, difficulty maintaining close relationships, and feeling detached from family and friends.
- 4. Changes in Physical and Emotional Reactions:** Known as arousal symptoms, these can include being easily startled, feeling tense or “on edge,” difficulty sleeping, anger outbursts, aggressive behaviours, and self-destructive behaviour like drinking too much or driving too fast.



The Counselling Process for PTSD at Amden Counselling Services

Counselling for PTSD involves several steps and approaches, all tailored to the individual's specific symptoms and experiences. Our therapists are trained in a variety of modalities that they combine to help clients work through their trauma.

- **Establishing Safety:** The first goal of therapy is to help individuals feel safe in their environment and in their bodies. Our therapists work to develop a trusting relationship where individuals feel secure enough to discuss their experiences.
- **Trauma-focused Therapy:** This includes approaches such as cognitive-behavioral therapy (CBT) which helps people make sense of their trauma and manage their reactions. Techniques such as Cognitive Processing or Eye Movement Desensitization and Reprocessing (EMDR) may also be used.
- **Managing Symptoms:** Counsellors teach coping skills to help manage anxiety, anger, or sadness related to PTSD. This might include mindfulness exercises, relaxation techniques, and guidance on restructuring daily routines to improve one's sense of control.
- **Addressing Secondary Struggles:** Often, PTSD is accompanied by other issues such as depression, anxiety, substance abuse, or relationship problems. Our therapists are equipped to treat these concurrent issues within the context of PTSD treatment.
- **Reintegration and Growth:** As therapy progresses, our therapists support clients in rebuilding their lives, which might include fostering relationships, returning to work, or finding new interests and activities that bring joy and meaning.

The Role of Psychotherapists at Amden Counselling Services

Our psychotherapists bring a compassionate, understanding, and skilled approach to treatment. They are adept in handling the delicate nuances of PTSD, ensuring that each person's journey through therapy is both supportive and effective. With a deep commitment to ethical practice and client well-being, our therapists provide a supportive environment where individuals can explore their thoughts and emotions safely.



Amden Counselling Services

PSYCHOTHERAPY · COUNSELLING · MEDIATION

Therapy is seen as a collaborative process at our Counselling Services. Clients are viewed as active participants in their recovery, with therapists serving as guides and facilitators of change. This collaborative approach empowers individuals, fostering a sense of autonomy and self-efficacy that is crucial for long-term recovery.

Though PTSD can have profound effects on a person, it is usually a treatable disorder that has disrupted an individual's life. At Amden Counselling Services, we offer a path towards recovery that respects the complexity of PTSD while embracing the possibility of a fulfilling future beyond trauma. If you or someone you know is struggling with PTSD, we invite you to reach out. Our skilled therapists are ready to support you through your journey to healing, helping you reclaim a life defined not by trauma, but by resilience and renewal.

You can contact us by email admin@amdensuites.ie or through our website www.amdencounsellingservices.ie

You can contact a Therapist directly by phone.
Details of each Therapist can be found on www.amdencounsellingservices.ie

The Amden Suites, Floor 2, The Atrium, Blackpool Business Park

Directions: [Click Here](#)

This publication is for informational purposes only and not intended as specific advice. It reflects only the opinions of the author(s) and should not be construed as professional medical advice. Readers are advised to consult a qualified professional for any health-related decisions.

This publication does not endorse specific treatments or therapies and should not be considered a substitute for professional care.
The author(s) disclaim any liability for actions taken based on the content of this publication.